

### **SAFETY DATA SHEET**

STICK 2 CARPET FIX SPRAY ADHESIVE

Page 1 Issued: 01/11/2010

Revision No: 1

#### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** STICK 2 CARPET FIX SPRAY ADHESIVE **Company name:** EVERBUILD BUILDING PRODUCTS LTD

SITE 41, KNOWSTHORPE WAY

**CROSS GREEN INDUSTRIAL ESTATE** 

**LEEDS** 

**WEST YORKSHIRE** 

LS9OSW ENGLAND

Tel: 0044 113 240 3456 Fax: 0044 113 240 0024

Emergency tel: 0044 113 240 3456 (office hours only)

Email: pault@everbuild.co.uk

#### 2. HAZARDS IDENTIFICATION

Classification under CHIP: Extremely flammable. Limited evidence of a carcinogenic effect.

Classification under CLP: Carc. 2. Suspected of causing cancer.

Workplace exposure limit: This product does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This mixture meets the criteria for classification as dangerous in accordance with

Directive 1999/45/EC.

Other hazards: In use, may form flammable / explosive vapour-air mixture.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** DICHLOROMETHANE 30-50%

EINECS: 200-838-9 CAS: 75-09-2

[Xn] R40

CLP Class: Carc. 2: H351PROPANE (\*WEL) 10-30%

EINECS: 200-827-9 CAS: 74-98-6

[F+] R12

CLP Class: Flam. Gas 1: H220; Press. Gas: H250

• BUTANE (\*WEL) 10-30%

EINECS: 203-448-7 CAS: 106-97-8

[F+] R12

CLP Class: Flam. Gas 1: H220; Press. Gas: H250

### **SAFETY DATA SHEET**

STICK 2 CARPET FIX SPRAY ADHESIVE

Page 2

#### 4. FIRST AID MEASURES

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

### 5. FIRE-FIGHTING MEASURES

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Do not use water. Use

water spray to cool containers.

**Exposure hazards:** Extremely flammable. In combustion emits toxic fumes. Forms explosive air-vapour

mixture. Vapour may travel considerable distance to source of ignition and flash back.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of

ignition.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the

neighbourhood to the presence of fumes or gas.

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Do not use equipment in clean-up procedure which may produce sparks.

Absorb into dry earth or sand. Transfer to a suitable container. Refer to section 13 of

SDS for suitable method of disposal.

### 7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Smoking is forbidden. Use non-sparking tools.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition. Store in original

containers between +5 and +25°C. Storage outside these paramaters will dramatically

reduce shelf life and invalidates all product warrenties.

### **SAFETY DATA SHEET**

STICK 2 CARPET FIX SPRAY ADHESIVE

Page 3

Suitable packaging: Must only be kept in original packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: DICHLOROMETHANE

UK - 8 hour TWA: 350 mg/m3 UK - 15 min. STEL: 1060 mg/m3

PROPANE

UK - 8 hour TWA: 1800 mg/m3 UK - 15 min. STEL: 7200 mg/m3

BUTANE

UK - 8 hour TWA: 1450 mg/m3 UK - 15 min. STEL: 1810 mg/m3

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

Gas/vapour filter, type A: organic vapours (EN141).

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

State: Aerosol
Colour: Yellow

Odour: Sweet-smelling

Evaporation rate: Fast

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

Boiling point/range°C: N/D
Melting point/range°C: N/D
Flammability limits %: lower: N/D

upper: N/D

Flash point°C: -40
Part.coeff. n-octanol/water: N/D

Autoflammability°C: N/D

Vapour pressure: vap heavier than air

Relative density: 0.79 pH: N/A

### **SAFETY DATA SHEET**

STICK 2 CARPET FIX SPRAY ADHESIVE

Page 4

#### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Stable at room temperature.

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of hydrogen cyanide.

#### 11. TOXICOLOGICAL INFORMATION

CMR effects: Limited evidence of a carcinogenic effect.

### 11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Other adverse effects: No data available.

PBT identification: This substance is not identified as a PBT substance.

## 13. DISPOSAL CONSIDERATIONS

Disposal operations: Dispose of according to local or national legislation

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### 14. TRANSPORT INFORMATION

#### ADR / RID

**UN no:** 1950

ADR Class: 2

Classification code: 5F

Shipping name: AEROSOLS

Labelling: 2.1



### **SAFETY DATA SHEET**

STICK 2 CARPET FIX SPRAY ADHESIVE

Page 5

**IMDG / IMO** 

UN no: 1950 Class: 2
EmS: 2-13 Marine pollutant: .

Labelling: 2.1

IATA / ICAO

**UN no:** 1950 **Class:** 2

Labelling: 2.1

## 15. REGULATORY INFORMATION (CHIP)

Hazard symbols: Extremely flammable.

Harmful.





Risk phrases: R12: Extremely flammable.

R40: Limited evidence of a carcinogenic effect.

Safety phrases: S2: Keep out of the reach of children.

S36/37: Wear suitable protective clothing and gloves.

S46: If swallowed, seek medical advice immediately and show this container or label.

S51: Use only in well-ventilated areas.

Precautionary phrases: Pressurized container: protect from sunlight and do not expose to temperatures

exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources

of ignition - No smoking. Keep out of the reach of children.

Haz. ingredients (label): DICHLOROMETHANE

Note: The regulatory information given above only indicates the principal regulations

specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or

provisions.

# 15. REGULATORY INFORMATION (CLP)

Hazard statements: H351: Suspected of causing cancer.

Signal words: Warning

Hazard pictograms: GHS08: Health hazard



Precautionary statements: P202: Do not handle until all safety precautions have been read and understood.

### **SAFETY DATA SHEET**

# STICK 2 CARPET FIX SPRAY ADHESIVE

Page 6

P281: Use personal protective equipment as required.

P308+313: IF exposed or concerned: Get medical.

P405: Store locked up. P501: Dispose of to.

### **16. OTHER INFORMATION**

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

Risk phrases used in s.3: R40: Limited evidence of a carcinogenic effect.

R12: Extremely flammable.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.